1 Show-



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/759,962	01/12/2001	Jawahar M. Gidwani	22122878-temp	1684
26453	7590 05/05/2004		EXAMINER	
BAKER & MCKENZIE 805 THIRD AVENUE			PHAM, THOMAS K	
•	A VENUE L, NY 10022		ART UNIT	PAPER NUMBER
	,		2121	0
			DATE MAILED: 05/05/2004	$\mathcal{O}$

Please find below and/or attached an Office communication concerning this application or proceeding.

,		Application N	Applicant(s)			
		09/759,962	GIDWANI, JAWAHA	R M.		
	Office Action Summary	Examiner	Art Unit			
		Thomas K Pham	2121	_		
Period fe	The MAILING DATE of this communic or Reply	ation appears on the cover shee	t with the correspondence addr	'ess		
A SH THE - Exte after - If th - If NO - Failt Any	IORTENED STATUTORY PERIOD FO MAILING DATE OF THIS COMMUNIC ensions of time may be available under the provisions of r SIX (6) MONTHS from the mailing date of this commu e period for reply specified above is less than thirty (30) D period for reply is specified above, the maximum stature to reply within the set or extended period for reply we reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	CATION.  f 37 CFR 1.136(a). In no event, however, manication.  days, a reply within the statutory minimum outory period will apply and will expire SIX (6)  ill, by statute, cause the application to become	ay a reply be timely filed  of thirty (30) days will be considered timely.  MONTHS from the mailing date of this comine ABANDONED (35 U.S.C. § 133).	munication.		
Status						
1)[🛛	Responsive to communication(s) filed	on 13 January 2001.				
·—	,	b)  This action is non-final.				
3)		•—	natters, prosecution as to the n	nerits is		
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	tion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-22 is/are pending in the ap 4a) Of the above claim(s) is/are Claim(s) is/are allowed. Claim(s) 1-22 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	e withdrawn from consideration.				
Applicat	tion Papers					
10)	The specification is objected to by the The drawing(s) filed on is/are: Applicant may not request that any object Replacement drawing sheet(s) including to The oath or declaration is objected to	a) accepted or b) objected on to the drawing(s) be held in about the correction is required if the draw	eyance. See 37 CFR 1.85(a). ving(s) is objected to. See 37 CFR			
Priority	under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for All b) Some * c) None of:  1. Certified copies of the priority of Some * Copies of the certified copies of the certified copies of the certified copies of the Internation See the attached detailed Office action	locuments have been received. locuments have been received f the priority documents have be all Bureau (PCT Rule 17.2(a)).	in Application No een received in this National St	tage		
Attachmen	ce of References Cited (PTO-892)		iew Summary (PTO-413)			
3) 🛛 Info	ce of Draftsperson's Patent Drawing Review (PT rmation Disclosure Statement(s) (PTO-1449 or F er No(s)/Mail Date <u>5</u> .	- · · · · /	No(s)/Mail Date e of Informal Patent Application (PTO-1	52)		

one

Application/Control Number: 09/759,962

Art Unit: 2121

### First Action on the Merits

1. Claims 1-22 of U.S. Application 09/759,962 filed on 01/13/2001 are presented for examination.

### **Quotations of U.S. Code Title 35**

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

# Claim Rejections - 35 USC § 102

4. Claims 1, and 5-9 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,388,056 ("Horiuchi").

### Regarding claim 1

Horiuchi teaches a computer-implemented method for analyzing a structure comprising:

Application/Control Number: 09/759,962 Page 3

Art Unit: 2121

receiving linear elastic input data of a structure (col. 6 lines 45-53, "Data of the structure 10 ... control the actuators 3a and 3b, respectively");

- automatically determining non-linear input data based on the received linear elastic input data (col. 6 lines 61-68, "The digital computer 5 ... to as "numerical model")");
- analyzing the determined non-linear input data through a non-linear analysis technique (col. 7 line 3 to col. 9 line 31, "Among the object structure 1 ... the velocity and acceleration"); and
- outputting the result of analysis (col. 13 lines 51-55, "FIG. 21 shows ... via the D/A converter 6").

# Regarding claim 5

Horiuchi teaches analyzing includes using a minimization technique to minimize the storage requirements of a global stiffness matrix and local stiffness matrix (col. 7 lines 16-17, "K: a stiffness matrix of the numerical model 10").

# Regarding claim 6

Horiuchi teaches analyzing includes using a numerical solution technique that requires only one copy of a global stiffness matrix (col. 7 lines 17-22, "f: an external force ... differentiated value in time").

#### Regarding claim 7

Horiuchi teaches reformulating and reducing only a portion of a global stiffness matrix that changes due to change in member state or large displacement effects (col. 10 lines 25-34, "FIG. 7 shows a typical ... is determined").

#### Regarding claim 8

Art Unit: 2121

Horiuchi teaches analyzing includes using a sufficiently higher order integration method to increase the step size thereby reducing the number of steps required for analysis (col. 8 lines 9-14, "In order to execute ... this accurate measurement").

# Regarding claim 9

Horiuchi teaches analyzing includes: using a minimization technique to minimize the storage requirements of a global stiffness matrix and local stiffness matrix (col. 7 lines 16-17, "K: a stiffness matrix of the numerical model 10"); using a numerical solution technique that requires only one copy of the global stiffness matrix (col. 7 lines 17-22, "f: an external force ... differentiated value in time"); reformulating and reducing only a portion of a global stiffness matrix that changes due to change in member state (col. 10 lines 25-34, "FIG. 7 shows a typical ... is determined"); and using a sufficiently higher order integration method to increase the step size thereby reducing the number of steps required for analysis (col. 8 lines 9-14, "In order to execute ... this accurate measurement").

5. Claim 16 is rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,842,148 ("Prendergast").

#### Regarding claim 16

Prendergast teaches a computer-implemented method for analyzing a structure comprising:

- classifying a plurality of structures according to predetermined structure types, subclassifying the structures within each classified structure type by fundamental structure periods ((col. 2 lines 4-8, "a method for ... earthquake or wind forces"); Application/Control Number: 09/759,962

Art Unit: 2121

- determining damage functions for the sub-classified structures (col. 6 lines 59-65, "After the analysis ... for any given rating"); and

- storing the determined damage functions (col. 2 lines 29-34, "This data is input ... the structure is located").

# Claim Rejections - 35 USC § 103

6. Claims 2-4, 10-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Horiuchi in view of U.S. Patent No. 6,412,237 ("Sahai").

# Regarding claim 2

Horiuchi teaches a computer-implemented method for analyzing a structure but does not teach determining a static load pushover profile for use in a static load pushover analysis. However, Sahai teaches determining a static load pushover profile for use in a static load pushover analysis (col. 10 col. 1-10, "Specific analyses include ... of the earthquake criteria"). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to incorporate the Static Pushover analysis of Sahai with the computer method of Horiuchi because it would provide for clearly depicting step by step the behavior of the inelastic response of the frame.

# Regarding claim 3

Horiuchi teaches automatically determining non-linear input data but does not include automatically determining the envelope behavior, degradation behavior, and failure behavior of members of the structure based on previously determined models of the members and the received linear elastic input data. However, Sahai teaches using standard commercial software programs for automatically determining the deflections, stresses, elastic behavior in the structural

Application/Control Number: 09/759,962 Page 6

Art Unit: 2121

frame based on previous models (col. 9 line 63 to col. 10 line 10). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to incorporate the automatic computer analysis of Sahai with the computer method of Horiuchi because it would provide for clearly depicting step by step the behavior of the inelastic response of the frame.

# Regarding claim 4

Horiuchi teaches at least a part of the data for the previously determined models is based on experimental or empirical data, and each model is stored as a plurality of data points, a mathematical representation, or both (col. 4 lines 21-31, "Effective evaluation of the results ... after completion of the test").

#### Regarding claim 10

Sahai teaches displaying a summary of inelastic sequence of events for damaged members of the structure (col. 13 lines 51-55, "FIG. 21 shows ... via the D/A converter 6").

#### Regarding claim 11

Sahai teaches the summary includes global, regional, and local damage measures (table 1).

# Regarding claim 12

Sahai teaches the global damage measure includes global displacement ductility and number of damaged members, the regional damage measure includes one or more of inter-story drifts, interstory shears, number of damaged members in the region, and identification of damaged members, and the local damage measure includes maximum member ductilities, cumulative member ductlities and number of cycle reversals (col. 11 lines 6-30, "While the frame is ... other 3% damping").

#### Regarding claim 13

Art Unit: 2121

Horiuchi and Sahai do not teach outputting includes outputting a color-coded image of the structure showing different levels of damage to the members of the structure. However, it would have been obvious to one of ordinary skill in the art at the time the invention that color-coding them identifies different levels of damages much easier, as it is known in the art of blue print and building design.

7. Claims 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Prendergast in view of Sahai.

#### Regarding claim 17

Sahai teaches determining non-structural damage functions corresponding to the structural damage functions (col. 11 lines 25-30, "Generally this is ... the other 3% damping").

# Regarding claim 18

Sahai teaches classifying the plurality of structures according to either FEMA guidelines or building code guidelines (col. 11 lines 15-17, "for the structure ... document FEMA-273").

#### Regarding claim 19

Prendergast teaches sub-classifying as similar structures all structures within a classified structure type whose fundamental structure period falls within a predetermined range (col. 3 lines 57-62, "The structural characteristics ... associated with damage").

### Regarding claim 20

Prendergast teaches receiving location and other data of a first structure, identifying among the plurality of classified structures one classified structure that corresponds to the first structure, and retrieving the stored damage function of a sub-classified structure that corresponds to the

Application/Control Number: 09/759,962 Page 8

Art Unit: 2121

identified structure for analysis of the first structure (col. 6 lines 16-56, "Wood frame, one to ... and/or wind database 36").

#### Regarding claim 21

Prendergast teaches determining a fault that likely causes damage to the first structure, determining at least one spectral acceleration of the determined fault line to the structure, and determining a damage measure for the determined spectral acceleration from the retrieved damage function (col. 5 line 62 to col. 6 line 16, "It is generally accepted ... when evaluating risk").

# Regarding claim 22

Prendergast teaches determining damage functions of a plurality of previous disasters; and calculating a mean damage function from the determined damage functions by regression (col. 6 lines 25-28, "Damage to a specific ... in the past").

8. Claims 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Horiuchi in view of U.S. Patent No. 5,842,148 ("Prendergast").

#### Regarding claim 14

Horiuchi teaches a computer-implemented method for analyzing a structure but does not teach repeating the analyzing step for each of a plurality of intensities or probabilities of a preselected catastrophic load; and displaying the number of damage measures as a function of the intensities or probabilities of the preselected catastrophic load. However, Prendergast teaches a probabilistic program is used to evaluate a number of parameters in determining the relative risk of damage to the structure (col. 5 lines 47-60, "USQUAKE, and similar ... for a wind related analysis").

Art Unit: 2121

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to incorporate the probabilistic analysis of Prendergast with the computer method of Horiuchi because it would provide for estimating the damages caused to the structure and how similar structures performed in the past.

# Regarding claim 15

Prendergast teaches using the damage measures to assess monetary losses or to make a financial or mitigation decision (col. 6 line 66 to col. 7 line 2, "The rating and report ... lower insurance rates").

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner *Thomas Pham*; whose telephone number is (703) 305-7587 and fax number is (703) 746-8874, Monday-Thursday and every other Friday from 7:30AM- 5:00PM EST or contact Supervisor *Mr. Anthony Knight* at (703) 308-3179.

Any response to this office action should be mailed to: Director of Patents and Trademarks Washington, D.C. 20231, or Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive Arlington, Virginia, (Receptionist located on the 4th floor), or fax to the official fax number (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-3900.

Thomas Pham

Patent Examiner

TI

May 1, 2004

Anthony Knight

Supervisory Patent Examiner

Group 3600